ELSEVIER

Forest Ecology and Management 198 (2004) 413–414

Forest Ecology and Management

www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 198

VOLUME 198, ISSUES 1–3 **23 AUGUST 2004**

Factors affecting the nitrogen status of soils and ground flora in Beech woodlands
F. Kennedy and R. Pitman (Farnham, UK) 1
Do published tolerance ratings and dispersal factors predict species distributions in bottomland hardwoods?
L.L. Battaglia (Carbondale, IL, USA), B.S. Collins and R.R. Sharitz (Aiken, SC, USA) 15
A technique for conducting point pattern analysis of cluster plot stem-maps
C.W. Woodall (St. Paul, MN, USA) and J.M. Graham (Missoula, MT, USA) 31
Variable-exponent taper equations for jack pine, black spruce, and balsam fir in eastern Canada
M. Sharma and S.Y. Zhang (Sainte-Foy, Canada) 39
Paper birch competitive effects vary with conifer tree species and stand age in interior British Columbia forests: implications for reforestation policy and practice
S.W. Simard, D.L. Sachs (Vancouver, Canada), A. Vyse (Kamloops, Canada) and L.L. Blevins (Raleigh, NC, USA) 55
Growth impacts of *Psittacanthus angustifolius* Kuijt on *Pinus oocarpa* Schiede in Honduras
B.E. Howell and R.L. Mathiasen (Flagstaff, AZ, USA) 75
A synthesis of literature on evaluation of models for policy applications, with implications for forest carbon accounting
S.P. Prisley and M.J. Mortimer (Blacksburg, VA, USA) 89
Responses of Fendler ceanothus to overstory thinning, prescribed fire, and drought in an Arizona ponderosa pine forest
D.W. Huffman and M.M. Moore (Flagstaff, AZ, USA) 105
Modelling a forest lepidopteran: phenological plasticity determines voltinism which influences population dynamics
M.J. Steinbauer, D.J. Kriticos (Canberra, Australia), Z. Lukacs (Kingston, Australia) and A.R. Clarke (Queensland, Australia) 117
Analysis of sampling methods for coarse woody debris
G. Woldendorp, R.J. Keenan, S. Barry and R.D. Spencer (Canberra, Australia) 133
Relationships between forest stand parameters and Landsat TM spectral responses in the Brazilian Amazon Basin
D. Lu (Bloomington, IN, USA), P. Mausel (Terre Haute, IN, USA), E. Brondízio and E. Moran (Bloomington, IN, USA) 149
Foliar anthocyanin accumulation may be a useful indicator of hardiness in eucalypt seedlings
D.C. Close (Hobart, Australia), C.L. Beadle and M. Battaglia (Hobart and Tasmania, Australia) 169
Post-oak fire scars as a function of diameter, growth, and tree age
R.P. Guyette and M.C. Stambaugh (Columbia, MO, USA) 183
Distributions of the capacity to take up nutrients by *Betula* spp. and *Picea abies* in mixed stands
P.-O. Brandtberg, J. Bengtsson and H. Lundkvist (Uppsala, Sweden) 193
Plant species diversity and composition along an experimental gradient of northern hardwood abundance in *Picea mariana* plantations
R. Jobidon, G. Cyr and N. Thiffault (Sainte-Foy, Canada) 209
Biomass and nutrient pools of canopy and terrestrial components in a primary and a secondary montane cloud forest, Costa Rica
N.M. Nadkarni, D. Schaefer, T.J. Matelson (Olympia, WA, USA) and R. Solano (Puntarenas, Costa Rica) 223
Tree growth and $\delta^{13}C$ among populations of *Pinus greggii* Engelm. at two contrasting sites in central México
R. García-G, A. Gómez, J. López-U, J. Vargas-H (Montecillo, Mexico) and W.R. Horwath (Davis, CA, USA) 237
Variation in coppice-shoot growth among provenances of *Calycophyllum spruceanum* Benth. in the Peruvian Amazon Basin
S. Boivin-Chabot, H.A. Margolis (Quebec City, Canada) and J.C. Weber (Lima, Peru) 249
Applying landscape principles to fire hazard reduction
C. Loehle (Naperville, IL, USA) 261
Historical and recent fire regimes in Piñon–Juniper woodlands on Mesa Verde, Colorado, USA
M. Lisa Floyd, D.D. Hanna (Prescott, AZ, USA) and W.H. Romme (Fort Collins, CO, USA) 269

doi:10.1016/S0378-1127(04)00500-6

Defoliation of juvenile western hemlock by western blackheaded budworm in Pacific coastal forests
V.G. Nealis, R. Turnquist and R. Garbutt (Victoria, Canada) 291
Are *Pinus halepensis* plantations useful as a restoration tool in semiarid Mediterranean areas?
F.T. Maestre and J. Cortina (Alicante, Spain) 303
Variations in tree community composition and structure in a fragment of tropical semideciduous forest in southeastern Brazil related to different human disturbance histories
M.T.Z. Toniato (Assis, Brazil) and A.T. de Oliveira-Filho (Lavras, Brazil) 319
A library of forest canopy structure for use in interception modeling
M.E. Teske (Ewing, NJ, USA) and H.W. Thistle (Morgantown, WV, USA) 341
Optimising capercailzie habitat in commercial forestry plantations
D.C. MacMillan and K. Marshall (Old Aberdeen, UK) 351
Productivity and diversity of morel mushrooms in healthy, burned, and insect-damaged forests of northeastern Oregon
D. Pilz, N.S. Weber (Corvallis, OR, USA), M. Carol Carter (Portland, OR, USA), C.G. Parks (La Grande, OR, USA) and R. Molina (Corvallis, OR, USA) 367
Chrysanthemoides monilifera ssp. *rotundata* invasion alters decomposition rates in coastal areas of south-eastern Australia
E.A. Lindsay and K. French (Wollongong, Australia) 387

Short communication
Nurses for *Brosimum alicastrum* reintroduction in secondary tropical dry forest
L.R. Sánchez-Velásquez (Xalapa, Mexico), S. Quintero-Gradilla, F. Aragón-Cruz (Autlán de Navarro, Mexico) and M.R. Pineda-López (Xalapa, Mexico) 401

Guide for Authors 405

Contents of *Forest Ecology and Management*, Volume 198 413